

# Holy Cross Hospital, Haslemere – Tree Survey

## Year 2021/22 Tree Works



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T53			1	<i>Pinus sp.</i> Pine sp.	20.0	1	65	12.0	Mature	Good	<b>Remove specified limb / limbs. Remove lowest large branch.</b>  Branch weight - Heavy. Unbalanced crown - Major. 19/01/21 AN Over-extended limb southwest Building within falling distance of tree. Road within crown spread.
T78			1	<i>Pinus sylvestris</i> Scots Pine	25.0	1	50	8.0	Mature	Good	<b>Remove faulted limb / limbs. Remove lowest limb over road.</b>  21/01/21 AN Lowest limb split over road. Footpath within crown spread. Road within crown spread.
T146			1	<i>Aesculus hippocastanum</i> Horse Chestnut	18.0	1	55	8.0	Mature	Good	<b>Fell - Retain high stump. Leave 5m habitat pole.</b>  Decay / structural defect - Base. Decay / structural defect - Major. Road within falling distance of tree.
T149			1	<i>Pinus sylvestris</i> Scots Pine	23.0	1	55	8.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant. Footpath within crown spread. Road within crown spread.
T150			1	<i>Corylus avellana</i> Common Hazel	6.0	10	63	9.0	Mature	Fair	<b>Deadwood - Remove.</b>  Coppice stool - Coppice origin / Mature stems. Deadwood - Minor. Road within crown spread. Footpath within crown spread.
G163			2 1	<i>Fagus sylvatica</i> Common Beech  <i>Quercus robur</i> English Oak	20.0	1	55	15.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant. Road within falling distance of tree. Neighbouring property in falling distance.

Schedule Query:

Printed on 17/02/21 (Tree Survey\_1.1\_Recommendation Schedule)

# Holy Cross Hospital, Haslemere – Tree Survey

## Year 2021/22 Tree Works



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
G164			2	<i>Quercus robur</i> English Oak	20.0	1	65	15.0	Mature	Good	<b>Climbing plant - Sever.</b>  Deadwood - Minor. Decay / structural defect - Open cavity / cavities. Leaning trunk - Major.  Road within falling distance of tree. Neighbouring property in falling distance.
G165			15	<i>Ilex aquifolium</i> Holly	16.0	1	30	8.0	Mature	Good	<b>Fell - Ground level. Holly at Northern end partially collapsed.</b>  21/01/21 AN Holly at Northern end partially collapsed.  Road within falling distance of tree.
			2	<i>Acer pseudoplatanus</i> Sycamore							
			2	<i>Corylus avellana</i> Common Hazel							
			2	<i>Quercus robur</i> English Oak							
T190			1	<i>Corylus avellana</i> Common Hazel	15.0	10	63	15.0	Mature	Fair	<b>Fallen tree / stems - Remove.</b>  Fallen tree / trees - Whole tree. 22/01/21 AN Fallen over fence.
T207			1	<i>Pinus sylvestris</i> Scots Pine	19.0	1	35	8.0	Mature	Good	<b>Fell - Ground level.</b>  Altered ground level - Recent. Decay / structural defect - Principal stems. Excavation within root zone - Suspected. Root damage - Suspected.  Footpath within crown spread. Building within falling distance of tree.
T209			1	<i>Betula sp.</i> Birch	17.0	1	35	5.0	Mature	Good	<b>Fell - Ground level.</b>  Altered ground level - Recent. Decay / structural defect - Principal stems. Excavation within root zone - Suspected. Root damage - Suspected.  Footpath within crown spread. Building within falling distance of tree.

Schedule Query:

Printed on 17/02/21 (Tree Survey\_1.1\_Recommendation Schedule)

# Holy Cross Hospital, Haslemere – Tree Survey

## Year 2021/22 Tree Works



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T213			1	<i>Pinus sylvestris</i> Scots Pine	23.0	1	55	8.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant.  Footpath within crown spread. Road within crown spread.
T218			1	<i>Quercus robur</i> English Oak	19.0	1	60	14.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant.  Road within crown spread.
T219			1	<i>Quercus robur</i> English Oak	19.0	1	60	14.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant. Leaning trunk - Minor.  Road within crown spread.
T220			1	<i>Quercus robur</i> English Oak	19.0	1	40	11.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant.  Road within crown spread.
T222			1	<i>Quercus robur</i> English Oak	19.0	1	60	14.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant.  Road within crown spread.
T223			1	<i>Pinus sylvestris</i> Scots Pine	23.0	1	55	8.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant.  Footpath within crown spread. Road within crown spread.

Schedule Query:

Printed on 17/02/21 (Tree Survey\_1.1\_Recommendation Schedule)

# Holy Cross Hospital, Haslemere – Tree Survey

## Year 2021/22 Tree Works



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T224			1	<i>Pinus sylvestris</i> Scots Pine	23.0	1	55	8.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant.  Footpath within crown spread. Road within crown spread.
T225			1	<i>Pinus sylvestris</i> Scots Pine	23.0	1	55	8.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant.  Footpath within crown spread. Road within crown spread.
T226			1	<i>Quercus robur</i> English Oak	19.0	1	50	11.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant.  Road within crown spread.
T227			1	<i>Betula sp.</i> Birch	21.0	1	35	9.0	Mature	Good	<b>Fell - Retain high stump. Leave 5m habitat pole.</b>  Decay / structural defect - Base.  Road within falling distance of tree.
T229			1	<i>Quercus robur</i> English Oak	19.0	1	40	11.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant.  Road within crown spread.
T230			1	<i>Quercus robur</i> English Oak	19.0	1	60	14.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant.  Road within crown spread.

**Schedule Query:**

Printed on 17/02/21 (Tree Survey\_1.1\_Recommendation Schedule)

# Holy Cross Hospital, Haslemere – Tree Survey

## Year 2021/22 Tree Works



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T231			1	<i>Pinus sylvestris</i> Scots Pine	23.0	1	55	8.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant. Footpath within crown spread. Road within crown spread.
T233			1	<i>Pinus sylvestris</i> Scots Pine	23.0	1	55	8.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant. Footpath within crown spread. Road within crown spread.
T234			1	<i>Pinus sylvestris</i> Scots Pine	23.0	1	55	8.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant. Footpath within crown spread. Road within crown spread.
T235			1	<i>Pinus sylvestris</i> Scots Pine	23.0	1	55	8.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant. Footpath within crown spread. Road within crown spread.
T237			1	<i>Quercus robur</i> English Oak	19.0	1	50	11.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant. Road within crown spread.
T268			1	<i>Pinus sylvestris</i> Scots Pine	19.0	1	40	7.0	Mature	Dead	<b>Fell - Ground level.</b>  Dead tree / trees. Road within falling distance of tree.

Schedule Query:

Printed on 17/02/21 (Tree Survey\_1.1\_Recommendation Schedule)

# Holy Cross Hospital, Haslemere – Tree Survey

## Year 2021/22 Tree Works



Tree/Group Reference	CA	TPO	Tree Count	Species	Height (m)	Stem Count	Stem Diameter (cm)	Crown Diameter (m)	Life Stage	Physiological Condition	Recommendations and Observations
T270			1	<i>Betula pendula</i> Silver Birch	15.0	1	40	9.0	Mature	Good	<b>Climbing plant - Sever.</b>  Ivy or climbing plant. Unbalanced crown - Minor.  Road within crown spread. Neighbouring property in falling distance.
T276			1	<i>Quercus robur</i> English Oak	23.0	1	110	18.0	Mature	Good	<b>Deadwood - Stabilise / reduce. Over road and verge.</b>  Arboricultural work - Historic. Deadwood - Minor. Ivy or climbing plant.  Road within crown spread.
T288			1	<i>Quercus robur</i> English Oak	17.0	1	95	11.0	Ancient or Veteran	Good	<b>Deadwood - Stabilise / reduce. Over road and verge.</b>  Arboricultural work - Historic. Deadwood - Major. Decay / structural defect - Base.  Road within crown spread. Tree overhangs neighbouring property.
G296			6	<i>Quercus robur</i> English Oak	19.0	1	40	8.0	Mature	Fair	<b>Fell - Retain high stump. Dead tree x 1: Leave 5m habitat pole.</b>  <b>Deadwood - Stabilise / reduce. Over footpaths.</b>  Die-back - Throughout crown. Deadwood - Major.  Footpath within crown spread.
T297			1	<i>Quercus robur</i> English Oak	17.0	1	40	9.0	Mature	Good	<b>Deadwood - Remove. Remove large dead branch over path.</b>  Deadwood - Major.  Footpath within crown spread.

Schedule Query:

Printed on 17/02/21 (Tree Survey\_1.1\_Recommendation Schedule)

# Tree Schedule Key



<b>Tree/Group Reference</b>	Reference number for individual trees or groups of trees, prefixed by T (Tree), G (Group), W (Woodland), H (Hedge) or S (Shrub) to indicate the type of feature.
<b>CA/TPO</b>	Statutory protection; either Conservation Area designation (Y/N), Tree Preservation Order (Y/N) or status not checked (blank).
<b>Tree Count</b>	Number of trees of a particular species recorded within a group feature, with the default value of 1 for single trees.
<b>Species</b>	Scientific name followed by common name (where available).
<b>Height (m)</b>	Tree height estimated to the nearest metre. Tree height for group records refers to the estimated average height of trees within the group (unrepresentative trees may be excluded from this estimate).
<b>Stem Count</b>	Number of stems, estimated where the stem count is greater than 10, with a default value of 1 for a tree with one stem.
<b>Stem Diameter (cm)</b>	Stem diameter estimated to the nearest 5 cm, measured at approximately 1.5 m above ground level in accordance with Annex C of BS5837:2012. For trees with more than one stem an estimated average stem diameter is recorded and a combined stem diameter is presented, calculated in accordance with the formula in Section 4.6.1b of BS5837:2012. Stem diameter for group records refers to the estimated average stem diameter of trees within the group (unrepresentative trees may be excluded from this estimate).
<b>Crown Diameter (m)</b>	Spread or diameter of the tree crown estimated to the nearest metre. Crown diameter for group records refers to the estimated average crown diameter of trees with the group (unrepresentative trees may be excluded from this estimate).
<b>Life Stage</b>	Young, Semi-mature, Early Mature, Mature, Late Mature, Ancient or Veteran.
<b>Physiological Condition</b>	Good, Fair, Poor, Dead.
<b>Recommendations</b>	Recommended works, with status indicated by font colour ( <b>Proposed</b> , <b>Assigned</b> , <b>Contracted</b> , <b>Declared</b> , <b>Completed</b> , <b>Cancelled</b> ). Descriptive notes may be included to add further detail or to define the aim of the intended operations.
<b>Observations</b>	Description of the tree or trees within a group in terms of basic features and morphology as well as structural and physiological attributes, together with a description of the context in which the tree is growing; specifically targets and other site features.
<b>Schedule Query</b>	Description of the criteria used to select the subset of trees presented within the schedule.